

### GENERAL NOTES

**GENERAL NOTES**

- CONTRACTOR MUST VERIFY COMPLIANCE WITH ALL LOCAL, STATE AND FEDERAL BUILDING CODES AND REGULATIONS WHERE THE HOME IS TO BE CONSTRUCTED.
- CONTRACTOR MUST VERIFY ALL DIMENSIONS AND SPECIFICATIONS BEFORE COMMENCING ACTUAL CONSTRUCTION.
- PLANS INDICATE LOCATION ONLY. CONTRACTOR SHOULD INCORPORATE ANY ENGINEERING ASPECTS IN ORDER TO CONSTRUCT THE HOME.
- CONTRACTOR TO FIELD VERIFY ALL SITE CONDITIONS PRIOR TO COMMENCING CONSTRUCTION.
- ALL STUDS AT MAIN/UPPER LEVEL TO BE 2X4 UNLESS OTHERWISE NOTED OR SHOWN.
- 9'-0" CEILING HEIGHT AT MAIN LEVEL UNLESS NOTED OTHERWISE.
- 9'-0" CEILING HEIGHT AT UPPER LEVEL UNLESS NOTED OTHERWISE.
- ALL DIMENSIONS ON FLOOR PLANS ARE TO OUTFACE OF STUD, C.M.U., CONCRETE WALL AND/OR CENTERLINE OF WINDOW, DOOR, PIER OR COLUMN.
- ALL ANGLED WALLS (OTHER THAN 90 DEG.) TO BE 45 DEG. UNLESS NOTED OTHERWISE.
- FURNITURE INDICATED ON FLOOR PLANS IS FOR PLANNING PURPOSES ONLY.
- CONTRACTOR TO VERIFY REQUIREMENTS OF ALL OWNER PROVIDED FURNISHED ITEMS WITH OWNER BEFORE PROCEEDING WITH WORK.
- ALL WORK PERFORMED BY CONTRACTOR SHALL BE INSTALLED PER MANUFACTURER'S SPECIFICATIONS.
- ALL WORK SHALL BE INSTALLED COMPLETE IN ANY RESPECT.
- CONTRACTOR TO FIELD VERIFY DIMENSIONS OF PLUMBING FIXTURES (TOILETS, WC, TUBS & SHOWERS) BEFORE COMMENCING FRAMING.
- THE CONTRACTOR TO BE FULLY RESPONSIBLE FOR DAMAGES AND OMISSIONS OF THE SUB CONTRACTORS.
- ALL FOUNDATION AND STRUCTURAL MEMBERS SHOULD BE VERIFIED BY AN ENGINEER. THE CONTRACTOR IS RESPONSIBLE FOR ADJUSTING AND VERIFYING ALL STRUCTURAL DETAILS AND CONDITIONS TO MEET ALL LOCAL CODES AND TO INSURE A QUALITY AND SAFE STRUCTURE.
- ALL WOOD, CONCRETE AND STEEL STRUCTURAL MEMBERS SHALL BE OF A GOOD GRADE AND QUALITY AND MEET ALL CODES.
- ALL COLUMNS OR SOLID FRAMING SHOULD BE DESIGNED TO CARRY LOADS AND SHOULD EXTEND DOWN THRU THE LEVELS BELOW AND TERMINATE AT THE BASEMENT FLOOR OR AT OTHER BEARING POINTS DESIGNED TO CARRY THE LOAD.
- ALL FOOTINGS TO BE BELOW FROST LINE (SEE LOCAL CODES) AND MUST REST ON UNDISTURBED SOIL CAPABLE OF HANDLING THE HOME.
- CONTRACTOR SHALL INSURE COMPATIBILITY OF THE HOME WITH ALL SITE REQUIREMENTS.
- IF BACKFILL EXCEEDS 4' AGAINST ANY FOUNDATION WALL, REINFORCE PER CODE.
- CONTRACTOR TO SIZE AND LOCATE ALL CRAWL SPACE VENTS AND ACCESS PER ALL CODES.
- SEE SITE PLAN, IF AVAILABLE, FOR NUMBER OF TREADS AND RISERS AT ALL EXTERIOR STAIRS.
- PROVIDE KNEE WALL AT EAVES FOR CHANGE IN SLOPE WHERE APPLICABLE.
- GUTTER DOWNSPOUTS SHOWN IN ELEVATIONS ARE DESIRED LOCATIONS. CONTRACTOR TO LOCATE ALL GUTTER DOWNSPOUTS.

### WALL LEGEND

	2X STUD WALLS @ 16" O.C. MAX.
	BRICK VENEER
	STONE VENEER
	LIMESTONE / CASTSTONE VENEER
	CONCRETE FOUNDATION WALL - 6" STEM WALL W/ 4" MASONRY LEDGE
	8" (NOMINAL) CMU WALL
	TIMBER

### AREA SUMMARY

<b>HEATED SQUARE FEET</b>	
MAIN LEVEL	1,767 sf
UPPER LEVEL	771 sf
<b>TOTAL HEATED ---&gt;</b>	<b>2,538 sf</b>
<b>OTHER SQUARE FEET</b>	
GARAGE	477 sf

**CRAWL SPACE PLAN**  
SCALE: 1/4"=1'-0"

Revisions	
Date:	Description:

**GREENFIELD**  
DESIGN

413 Spears Avenue  
Chattanooga, Tennessee 37405  
Phone: 423.227.0843  
www.greenfelddesign.com

**HILL HAVEN HOLDINGS**

HOUSE PLAN No. 1 - ELEVATION 3  
THE RIDGES AT BLACK CREEK MOUNTAIN  
CHATTANOOGA, TN 37419

This plan is the property of Greenfield Design, LLC and may not be used or reproduced without his permission.

Greenfield Design, LLC assumes no liability for any home constructed from this plan. It is the responsibility of the purchaser of this plan to conduct the following before commencing construction.


- Builder or contractor must verify all dimensions and specifications before commencing actual construction.
- Builder or contractor must verify compliance with all local, state and federal building codes and regulations where the home is to be constructed.
- Plans indicate locations only. Builder or contractor should incorporate any engineering aspects in order to construct the home.

Caution must be exercised in making any changes to this plan. Only a qualified designer, architect, contractor or structural engineer should make changes to this plan.

FOR  
CONSTRUCTION

Date	Project #
5.7.2018	748
Drawn	Checked
CIP/JCG	JCG

Sheet  
**BASEMENT LEVEL PLAN**  
**A1.1**



- ### GENERAL NOTES
- CONTRACTOR MUST VERIFY COMPLIANCE WITH ALL LOCAL, STATE AND FEDERAL BUILDING CODES AND REGULATIONS WHERE THE HOME IS TO BE CONSTRUCTED.
  - CONTRACTOR MUST VERIFY ALL DIMENSIONS AND SPECIFICATIONS BEFORE COMMENCING ACTUAL CONSTRUCTION.
  - PLANS INDICATE LOCATION ONLY. CONTRACTOR SHOULD INCORPORATE ANY ENGINEERING ASPECTS IN ORDER TO CONSTRUCT THE HOME.
  - CONTRACTOR TO FIELD VERIFY ALL SITE CONDITIONS PRIOR TO COMMENCING CONSTRUCTION.
  - ALL STUDS AT MAIN/UPPER LEVEL TO BE 2X4 UNLESS OTHERWISE NOTED OR SHOWN.
  - 9'-0" CEILING HEIGHT AT MAIN LEVEL UNLESS NOTED OTHERWISE.
  - 9'-0" CEILING HEIGHT AT UPPER LEVEL UNLESS NOTED OTHERWISE.
  - ALL DIMENSIONS ON FLOOR PLANS ARE TO OUTFACE OF STUD, C.M.U., CONCRETE WALL AND/OR CENTERLINE OF WINDOW, DOOR, PIER OR COLUMN.
  - ALL ANGLED WALLS (OTHER THAN 90 DEG.) TO BE 45 DEG. UNLESS NOTED OTHERWISE.
  - FURNITURE INDICATED ON FLOOR PLANS IS FOR PLANNING PURPOSES ONLY.
  - CONTRACTOR TO VERIFY REQUIREMENTS OF ALL OWNER PROVIDED FURNISHED ITEMS WITH OWNER BEFORE PROCEEDING WITH WORK.
  - ALL WORK PERFORMED BY CONTRACTOR SHALL BE INSTALLED PER MANUFACTURER'S SPECIFICATIONS.
  - ALL WORK SHALL BE INSTALLED COMPLETE IN ANY RESPECT.
  - CONTRACTOR TO FIELD VERIFY DIMENSIONS OF PLUMBING FIXTURES (TOILETS, WC, TUBS & SHOWERS) BEFORE COMMENCING FRAMING.
  - THE CONTRACTOR TO BE FULLY RESPONSIBLE FOR DAMAGES AND OMISSIONS OF THE SUB CONTRACTORS.
  - ALL FOUNDATION AND STRUCTURAL MEMBERS SHOULD BE VERIFIED BY AN ENGINEER. THE CONTRACTOR IS RESPONSIBLE FOR ADJUSTING AND VERIFYING ALL STRUCTURAL DETAILS AND CONDITIONS TO MEET ALL LOCAL CODES AND TO INSURE A QUALITY AND SAFE STRUCTURE.
  - ALL WOOD, CONCRETE AND STEEL STRUCTURAL MEMBERS SHALL BE OF A GOOD GRADE AND QUALITY AND MEET ALL CODES.
  - ALL COLUMNS OR SOLID FRAMING SHOULD BE DESIGNED TO CARRY LOADS AND SHOULD EXTEND DOWN THRU THE LEVELS BELOW AND TERMINATE AT THE BASEMENT FLOOR OR AT OTHER BEARING POINTS DESIGNED TO CARRY THE LOAD.
  - ALL FOOTINGS TO BE BELOW FROST LINE (SEE LOCAL CODES) AND MUST REST ON UNDISTURBED SOIL CAPABLE OF HANDLING THE HOME.
  - CONTRACTOR SHALL INSURE COMPATIBILITY OF THE HOME WITH ALL SITE REQUIREMENTS.
  - IF BACKFILL EXCEEDS 4' AGAINST ANY FOUNDATION WALL, REINFORCE PER CODE.
  - CONTRACTOR TO SIZE AND LOCATE ALL CRAWL SPACE VENTS AND ACCESS PER ALL CODES.
  - SEE SITE PLAN, IF AVAILABLE, FOR NUMBER OF TREADS AND RISERS AT ALL EXTERIOR STAIRS.
  - PROVIDE KNEE WALL AT EAVES FOR CHANGE IN SLOPE WHERE APPLICABLE.
  - GUTTER DOWNSPOUTS SHOWN IN ELEVATIONS ARE DESIRED LOCATIONS. CONTRACTOR TO LOCATE ALL GUTTER DOWNSPOUTS.

### WALL LEGEND

	2X STUD WALLS @ 16" O.C. MAX.
	BRICK VENEER
	STONE VENEER
	LIMESTONE / CASTSTONE VENEER
	CONCRETE FOUNDATION WALL - 6" STEM WALL W/ 4" MASONRY LEDGE
	8" (NOMINAL) CMU WALL
	TIMBER

### AREA SUMMARY

<b>HEATED SQUARE FEET</b>	
MAIN LEVEL	1,767 sf
UPPER LEVEL	771 sf
<b>TOTAL HEATED ---&gt;</b>	<b>2,538 sf</b>
<b>OTHER SQUARE FEET</b>	
GARAGE	477 sf

**1 MAIN LEVEL PLAN**  
SCALE: 1/4"=1'-0"

Revisions	
Date:	Description:

**GREENFIELD DESIGN**  
413 Spears Avenue  
Chattanooga, Tennessee 37405  
Phone: 423.227.0843  
www.greenfelddesign.com

**HILL HAVEN HOLDINGS**  
HOUSE PLAN No. 1 - ELEVATION 3  
THE RIDGES AT BLACK CREEK MOUNTAIN  
CHATTANOOGA, TN 37419

This plan is the property of Greenfield Design, LLC and may not be used or reproduced without his permission.

- Greenfield Design, LLC assumes no liability for any home constructed from this plan. It is the responsibility of the purchaser of this plan to conduct the following before commencing construction.
- Builder or contractor must verify all dimensions and specifications before commencing actual construction.
  - Builder or contractor must verify compliance with all local, state and federal building codes and regulations where the home is to be constructed.
  - Plans indicate locations only. Builder or contractor should incorporate any engineering aspects in order to construct the home.
- Caution must be exercised in making any changes to this plan. Only a qualified designer, architect, contractor or structural engineer should make changes to this plan.

FOR CONSTRUCTION

Date	Project #
5.7.2018	748
Drawn	Checked
CIP/JCG	JCG


Sheet  
**MAIN LEVEL PLAN**  
**A1.2**

Revisions	
Date:	Description:

**GREENFIELD**  
DESIGN

413 Spears Avenue  
Chattanooga, Tennessee 37405  
Phone: 423.227.0843  
www.greenfelddesign.com

**HILL HAVEN HOLDINGS**  
HOUSE PLAN No. 1 - ELEVATION 3  
THE RIDGES AT BLACK CREEK MOUNTAIN  
CHATTANOOGA, TN 37419



- ### GENERAL NOTES
- CONTRACTOR MUST VERIFY COMPLIANCE WITH ALL LOCAL, STATE AND FEDERAL BUILDING CODES AND REGULATIONS WHERE THE HOME IS TO BE CONSTRUCTED.
  - CONTRACTOR MUST VERIFY ALL DIMENSIONS AND SPECIFICATIONS BEFORE COMMENCING ACTUAL CONSTRUCTION. PLANS INDICATE LOCATION ONLY. CONTRACTOR SHOULD INCORPORATE ANY ENGINEERING ASPECTS IN ORDER TO CONSTRUCT THE HOME.
  - CONTRACTOR TO FIELD VERIFY ALL SITE CONDITIONS PRIOR TO COMMENCING CONSTRUCTION.
  - ALL STUDS AT MAIN/UPPER LEVEL TO BE 2X4 UNLESS OTHERWISE NOTED OR SHOWN.
  - 9'-0" CEILING HEIGHT AT MAIN LEVEL UNLESS NOTED OTHERWISE.
  - 9'-0" CEILING HEIGHT AT UPPER LEVEL UNLESS NOTED OTHERWISE.
  - ALL DIMENSIONS ON FLOOR PLANS ARE TO OUTFACE OF STUD, C.M.U., CONCRETE WALL AND/OR CENTERLINE OF WINDOW, DOOR, PIER OR COLUMN.
  - ALL ANGLED WALLS (OTHER THAN 90 DEG.) TO BE 45 DEG. UNLESS NOTED OTHERWISE.
  - FURNITURE INDICATED ON FLOOR PLANS IS FOR PLANNING PURPOSES ONLY.
  - CONTRACTOR TO VERIFY REQUIREMENTS OF ALL OWNER PROVIDED FURNISHED ITEMS WITH OWNER BEFORE PROCEEDING WITH WORK.
  - ALL WORK PERFORMED BY CONTRACTOR SHALL BE INSTALLED PER MANUFACTURER'S SPECIFICATIONS.
  - ALL WORK SHALL BE INSTALLED COMPLETE IN ANY RESPECT.
  - CONTRACTOR TO FIELD VERIFY DIMENSIONS OF PLUMBING FIXTURES (TOILETS, WC, TUBS & SHOWERS) BEFORE COMMENCING FRAMING.
  - THE CONTRACTOR TO BE FULLY RESPONSIBLE FOR DAMAGES AND OMISSIONS OF THE SUB CONTRACTORS.
  - ALL FOUNDATION AND STRUCTURAL MEMBERS SHOULD BE VERIFIED BY AN ENGINEER. THE CONTRACTOR IS RESPONSIBLE FOR ADJUSTING AND VERIFYING ALL STRUCTURAL DETAILS AND CONDITIONS TO MEET ALL LOCAL CODES AND TO INSURE A QUALITY AND SAFE STRUCTURE.
  - ALL WOOD, CONCRETE AND STEEL STRUCTURAL MEMBERS SHALL BE OF A GOOD GRADE AND QUALITY AND MEET ALL CODES.
  - ALL COLUMNS OR SOLID FRAMING SHOULD BE DESIGNED TO CARRY LOADS AND SHOULD EXTEND DOWN THRU THE LEVELS BELOW AND TERMINATE AT THE BASEMENT FLOOR OR AT OTHER BEARING POINTS DESIGNED TO CARRY THE LOAD.
  - ALL FOOTINGS TO BE BELOW FROST LINE (SEE LOCAL CODES) AND MUST REST ON UNDISTURBED SOIL CAPABLE OF HANDLING THE HOME.
  - CONTRACTOR SHALL INSURE COMPATIBILITY OF THE HOME WITH ALL SITE REQUIREMENTS.
  - IF BACKFILL EXCEEDS 4' AGAINST ANY FOUNDATION WALL, REINFORCE PER CODE.
  - CONTRACTOR TO SIZE AND LOCATE ALL CRAWL SPACE VENTS AND ACCESS PER ALL CODES.
  - SEE SITE PLAN, IF AVAILABLE, FOR NUMBER OF TREADS AND RISERS AT ALL EXTERIOR STAIRS.
  - PROVIDE KNEE WALL AT EAVES FOR CHANGE IN SLOPE WHERE APPLICABLE.
  - GUTTER DOWNSPOUTS SHOWN IN ELEVATIONS ARE DESIRED LOCATIONS. CONTRACTOR TO LOCATE ALL GUTTER DOWNSPOUTS.

- ### WALL LEGEND
- 2X STUD WALLS @ 16" O.C. MAX.
  - BRICK VENEER
  - STONE VENEER
  - LIMESTONE / CASTSTONE VENEER
  - CONCRETE FOUNDATION WALL - 6" STEM WALL W/ 4" MASONRY LEDGE
  - 8" (NOMINAL) CMU WALL
  - TIMBER

### AREA SUMMARY

HEATED SQUARE FEET	
MAIN LEVEL	1,767 sf
UPPER LEVEL	771 sf
<b>TOTAL HEATED ---&gt;</b>	<b>2,538 sf</b>
OTHER SQUARE FEET	
GARAGE	477 sf

**UPPER LEVEL PLAN**  
SCALE: 1/4" = 1'-0"

This plan is the property of Greenfield Design, LLC and may not be used or reproduced without his permission.

- Greenfield Design, LLC assumes no liability for any home constructed from this plan. It is the responsibility of the purchaser of this plan to conduct the following before commencing construction.
- Builder or contractor must verify all dimensions and specifications before commencing actual construction.
  - Builder or contractor must verify compliance with all local, state and federal building codes and regulations where the home is to be constructed.
  - Plans indicate locations only. Builder or contractor should incorporate any engineering aspects in order to construct the home.
- Caution must be exercised in making any changes to this plan. Only a qualified designer, architect, contractor or structural engineer should make changes to this plan.

FOR CONSTRUCTION

Date	Project #
5.7.2018	748
Drawn	Checked
CIP/JCG	JCG


Sheet  
**UPPER LEVEL PLAN**  
**A1.3**

Revisions	
Date:	Description:

**GREENFIELD**  
DESIGN

413 Spears Avenue  
Chattanooga, Tennessee 37405  
Phone: 423.227.0843  
www.greenfelddesign.com

**HILL HAVEN HOLDINGS**  
HOUSE PLAN No. 1 - ELEVATION 3  
THE RIDGES AT BLACK CREEK MOUNTAIN  
CHATTANOOGA, TN 37419



- ### GENERAL NOTES
- CONTRACTOR MUST VERIFY COMPLIANCE WITH ALL LOCAL, STATE AND FEDERAL BUILDING CODES AND REGULATIONS WHERE THE HOME IS TO BE CONSTRUCTED.
  - CONTRACTOR MUST VERIFY ALL DIMENSIONS AND SPECIFICATIONS BEFORE COMMENCING ACTUAL CONSTRUCTION. PLANS INDICATE LOCATION ONLY. CONTRACTOR SHOULD INCORPORATE ANY ENGINEERING ASPECTS IN ORDER TO CONSTRUCT THE HOME.
  - CONTRACTOR TO FIELD VERIFY ALL SITE CONDITIONS PRIOR TO COMMENCING CONSTRUCTION.
  - ALL STUDS AT MAIN/UPPER LEVEL TO BE 2X4 UNLESS OTHERWISE NOTED OR SHOWN.
  - 9'-0" CEILING HEIGHT AT MAIN LEVEL UNLESS NOTED OTHERWISE.
  - 9'-0" CEILING HEIGHT AT UPPER LEVEL UNLESS NOTED OTHERWISE.
  - ALL DIMENSIONS ON FLOOR PLANS ARE TO OUTFACE OF STUD, C.M.U., CONCRETE WALL AND/OR CENTERLINE OF WINDOW, DOOR, PIER OR COLUMN.
  - ALL ANGLED WALLS (OTHER THAN 90 DEG.) TO BE 45 DEG. UNLESS NOTED OTHERWISE.
  - FURNITURE INDICATED ON FLOOR PLANS IS FOR PLANNING PURPOSES ONLY.
  - CONTRACTOR TO VERIFY REQUIREMENTS OF ALL OWNER PROVIDED FURNISHED ITEMS WITH OWNER BEFORE PROCEEDING WITH WORK.
  - ALL WORK PERFORMED BY CONTRACTOR SHALL BE INSTALLED PER MANUFACTURER'S SPECIFICATIONS.
  - ALL WORK SHALL BE INSTALLED COMPLETE IN ANY RESPECT.
  - CONTRACTOR TO FIELD VERIFY DIMENSIONS OF PLUMBING FIXTURES (TOILETS, WC, TUBS & SHOWERS) BEFORE COMMENCING FRAMING.
  - THE CONTRACTOR TO BE FULLY RESPONSIBLE FOR DAMAGES AND OMISSIONS OF THE SUB CONTRACTORS.
  - ALL FOUNDATION AND STRUCTURAL MEMBERS SHOULD BE VERIFIED BY AN ENGINEER. THE CONTRACTOR IS RESPONSIBLE FOR ADJUSTING AND VERIFYING ALL STRUCTURAL DETAILS AND CONDITIONS TO MEET ALL LOCAL CODES AND TO INSURE A QUALITY AND SAFE STRUCTURE.
  - ALL WOOD, CONCRETE AND STEEL STRUCTURAL MEMBERS SHALL BE OF A GOOD GRADE AND QUALITY AND MEET ALL CODES.
  - ALL COLUMNS OR SOLID FRAMING SHOULD BE DESIGNED TO CARRY LOADS AND SHOULD EXTEND DOWN THRU THE LEVELS BELOW AND TERMINATE AT THE BASEMENT FLOOR OR AT OTHER BEARING POINTS DESIGNED TO CARRY THE LOAD.
  - ALL FOOTINGS TO BE BELOW FROST LINE (SEE LOCAL CODES) AND MUST REST ON UNDISTURBED SOIL CAPABLE OF HANDLING THE HOME.
  - CONTRACTOR SHALL INSURE COMPATIBILITY OF THE HOME WITH ALL SITE REQUIREMENTS.
  - IF BACKFILL EXCEEDS 4' AGAINST ANY FOUNDATION WALL, REINFORCE PER CODE.
  - CONTRACTOR TO SIZE AND LOCATE ALL CRAWL SPACE VENTS AND ACCESS PER ALL CODES.
  - SEE SITE PLAN, IF AVAILABLE, FOR NUMBER OF TREADS AND RISERS AT ALL EXTERIOR STAIRS.
  - PROVIDE KNEE WALL AT EAVES FOR CHANGE IN SLOPE WHERE APPLICABLE.
  - GUTTER DOWNSPOUTS SHOWN IN ELEVATIONS ARE DESIRED LOCATIONS. CONTRACTOR TO LOCATE ALL GUTTER DOWNSPOUTS.

- ### WALL LEGEND
- 2X STUD WALLS @ 16" O.C. MAX.
  - BRICK VENEER
  - STONE VENEER
  - LIMESTONE / CASTSTONE VENEER
  - CONCRETE FOUNDATION WALL - 6" STEM WALL W/ 4" MASONRY LEDGE
  - 8" (NOMINAL) CMU WALL
  - TIMBER

### AREA SUMMARY

HEATED SQUARE FEET	
MAIN LEVEL	1,767 sf
UPPER LEVEL	771 sf
TOTAL HEATED --->	2,538 sf
OTHER SQUARE FEET	
GARAGE	477 sf

**1** ROOF PLAN  
SCALE: 1/4" = 1'-0"

This plan is the property of Greenfield Design, LLC and may not be used or reproduced without his permission.

Greenfield Design, LLC assumes no liability for any home constructed from this plan. It is the responsibility of the purchaser of this plan to conduct the following before commencing construction.

- Builder or contractor must verify all dimensions and specifications before commencing actual construction.
- Builder or contractor must verify compliance with all local, state and federal building codes and regulations where the home is to be constructed.
- Plans indicate locations only. Builder or contractor should incorporate any engineering aspects in order to construct the home.

Caution must be exercised in making any changes to this plan. Only a qualified designer, architect, contractor or structural engineer should make changes to this plan.

FOR CONSTRUCTION

Date	Project #
5.7.2018	748
Drawn	Checked
CIP/JCG	JCG

Sheet  
**ROOF PLAN**  
**A1.4**

Revisions	
Date:	Description:

**GREENFIELD**  
DESIGN

413 Spears Avenue  
Chattanooga, Tennessee 37405  
Phone: 423.227.0843  
www.greenfielddesign.com

**HILL HAVEN HOLDINGS**  
HOUSE PLAN No. 1 - ELEVATION 3  
THE RIDGES AT BLACK CREEK MOUNTAIN  
CHATTANOOGA, TN 37419



**REAR ELEVATION**  
SCALE: 1/8"=1'-0"



**FRONT ELEVATION**  
SCALE: 1/8"=1'-0"

This plan is the property of Greenfield Design, LLC and may not be used or reproduced without his permission.

Greenfield Design, LLC assumes no liability for any home constructed from this plan. It is the responsibility of the purchaser of this plan to conduct the following before commencing construction.

1. Builder or contractor must verify all dimensions and specifications before commencing actual construction.
2. Builder or contractor must verify compliance with all local, state and federal building codes and regulations where the home is to be constructed.
3. Plans indicate locations only. Builder or contractor should incorporate any engineering aspects in order to construct the home.

Caution must be exercised in making any changes to this plan. Only a qualified designer, architect, contractor or structural engineer should make changes to this plan.

FOR  
CONSTRUCTION

Date	Project #
5.7.2018	748
Drawn	Checked
CIP/JCG	JCG

Sheet  
**ELEVATIONS**  
**A2.1**

Revisions	
Date:	Description:


**GREENFIELD**  
DESIGN

413 Spears Avenue  
Chattanooga, Tennessee 37405  
Phone: 423.227.0843  
www.greenfelddesign.com

**HILL HAVEN HOLDINGS**  
HOUSE PLAN No. 1 - ELEVATION 3  
THE RIDGES AT BLACK CREEK MOUNTAIN  
CHATTANOOGA, TN 37419



**LEFT ELEVATION**  
SCALE: 1/4"=1'-0"



**RIGHT ELEVATION**  
SCALE: 1/4"=1'-0"

This plan is the property of Greenfield Design, LLC and may not be used or reproduced without his permission.

Greenfield Design, LLC assumes no liability for any home constructed from this plan. It is the responsibility of the purchaser of this plan to conduct the following before commencing construction.

1. Builder or contractor must verify all dimensions and specifications before commencing actual construction.
2. Builder or contractor must verify compliance with all local, state and federal building codes and regulations where the home is to be constructed.
3. Plans indicate locations only. Builder or contractor should incorporate any engineering aspects in order to construct the home.

Caution must be exercised in making any changes to this plan. Only a qualified designer, architect, contractor or structural engineer should make changes to this plan.

FOR CONSTRUCTION

Date	Project #
5.7.2018	748
Drawn	Checked
CIP/JCG	JCG

Sheet  
ELEVATIONS  
**A2.2**